

TECNO

POVA

User Manual

دليل المستخدم


Mobile Phone

Model: LD7

Hereby, TECNO MOBILE LIMITED
declares that this Mobile Phone is in compliance
with the essential requirements and other relevant
provisions of Directive 2014/53/EU.

طراز الهاتف: LD7

بموجب هذه الوثيقة، تعلن شركة TECNO MOBILE LIMITED بأن هذا الهاتف
يمتثل للمتطلبات الأساسية والأحكام التوجيهية ذات الصلة 53/2014/الاتحاد الأوروبي.




- 1. Front camera
- 2. Volume key
- 3. Power key
- 4. Google Assistant Button

- 1. الكاميرا الأمامية
- 2. مفتاح مستوى الصوت
- 3. مفتاح التشغيل والإيقاف
- 4. زر Google Assistant

1. Power off mobile.
2. Refer to the following picture for SIM / SD card installation.


1. قم بإيقاف تشغيل الهاتف
2. أدخل بطاقة SIM وبطاقة الذاكرة كما هو مبين في الصورة.



Charging the phone

You can charge your device using a charger or by connecting it to the computer using a USB cable (comes with the phone).


1. Please remind the front and back of the plug.
2. Use only TECNO charger and cables. Other chargers or cables may damage the device. This will invalidate your



شحن الهاتف

يمكنك شحن جهازك باستخدام شاحن أو عن طريق توصيله بجهاز الكمبيوتر باستخدام كبل USB (يتوفر مع الهاتف).

1. يُرجى التمييز بين وجه القابس وظهره.
2. استخدم فقط كابلات أو شاحن TECNO. قد تتسبب الشواحن أو الكابلات المختلفة في تلف الجهاز. وهذا من شأنه أن يُبطل ضمان هاتفك.



This device may be restricted for use,
depending on the local network.

Restrictions in the 5GHz band:

According to 10(10) of Directive
2014/53/EU, the packaging shows that
this radio equipment will be subject to
some restrictions when placed on the
market in Belgium(BE),Bulgaria(BG),the
Czech Republic(CZ) ,Denmark(DK),-
Germany(DE),Estonia(EE),Ire-
land(IE),Greece(EL),-
Spain(ES),France(FR),Croatia(HR),Italy(I
T),Cyprus(CY),Latvia(LV),Lithuania(LT),L
uxembourg(LU),Hungary(HU),Malta(MT)
,Netherlands(NL),Austria(AT),Poland(PL)
,Portugal(PT), Romania(RO),Slove-
nia(SK),Finland(FI),Sweden(SE),
the United Kingdom(UK),Turkey(TR),Nor-
way(NO),Switzerland(CH),Ice-
land(IS),and Leichtenstein(LI).

The WLAN function for this device is
restricted to indoor use due to its

operation in the 5.15 to 5.35 GHz frequency range.

Operating Frequency Band (RF):

E-GSM900: 880-915MHz (TX),

925-960MHz (RX);

DCS1800: 1710-1785MHz (TX),

1805-1880MHz (RX);

WCDMA BAND I:1920-1980MHz (TX),

2110-2170MHz (RX);

WCDMA BAND VIII: 880-915MHz (TX),

925-960MHz (RX);

LTE BAND 1:1920-1980MHz

(TX),2110-2170MHz (RX);

LTE BAND 3:1710-1785MHz

(TX),1805-1880MHz (RX);

LTE BAND 7:2500-2570MHz

(TX),2620-2690MHz (RX);

LTE BAND 8:880-915MHz

(TX),925-960MHz (RX);

LTE BAND 20:832-862MHz

(TX),791-821MHz (RX);

LTE BAND 28:703-733MHz

(TX),758-788MHz (RX);

LTE BAND 38:2570-2620MHz

(TX),2570-2620MHz (RX);

LTE BAND 40:2300-2400MHz

(TX),2300-2400MHz (RX);

BT: 2402-2480MHz (TX/RX);

Wi-Fi (2.4G): 2412~2472MHz (TX/RX);

Wi-Fi (5G): Band 1: 5150-5250MHz(TX-
/RX);

Band 2: 5250-5350MHz (TX/RX);

Band 3: 5470-5725MHz (TX/RX);

Band 4: 5725-5875MHz (TX/RX);

GPS:1.57542GHz

FM:87.5-108 MHz

Modulation mode:

GMSK, 8PSK (GSM)

BPSK, QPSK ,16-QAM(WCDMA)

QPSK, 16-QAM, 64-QAM (LTE)

GFSK, $\pi/4$ -DQPSK, 8DPSK (BT)

GFSK (BLE)

DSSS (DBPSK, DQPSK, CCK) for IEEE

802.11b

OFDM(BPSK,QPSK,16QAM,64QAM) for

IEEE 802.11g/n HT-20/HT-40

IEEE 802.11a/n:OFDM (BPSK / QPSK /
16QAM / 64QAM) (WiFi)

BPSK (GPS)

FM

RF output power:

GSM900: 33dBm $\pm$ 2dB

DCS1800: 30dBm $\pm$ 2dB

WCDMA BAND I/VIII:

24dBm+1.7dB/-3.7dB

LTE BAND 1/3/7/8/20/28/38/40:

23dBm+2.7dB/-2.7dB

BT: 0-10dBm

WiFi: 14dBm+/-3dB

Specific Absorption Rate (SAR)

Certification

**THIS DEVICE MEETS INTERNATIONAL GUIDE-
LINES FOR EXPOSURE TO RADIO WAVES**

Body parts	Test value	Test distance	Limit
Head	0.981W/Kg 10g	0cm	2.0 W/Kg 10g
Body	1.525 W/Kg 10g	0.5cm	2.0 W/Kg 10g

CAUTION:

1. Use the earphones with care.

Excessive sound pressure from earphones and headphones may cause hearing loss.

2. Risk of explosion if battery is replaced by an incorrect type, dispose of used batteries according to the instructions.

3. The product shall only be connected to a USB interface of version USB 2.0.

4. Adapter shall be installed near the equipment and shall be easily accessible.

5. EUT Temperature: -10~+65°C (Stand-alone); 0~+40°C (with adapter).

6. Adapter1:U180TKA

Input: AC100-240V 50/60Hz 0.6A

Output: DC 5.0V~9.0V 2.0A 9.0V~12V
1.5A

Adapter2:U180TEA

Input: AC100-240V 50/60Hz 0.6A

Output: DC 5.0V~9.0V 2.0A 9.0V~12V

1.5A


7. The device complies with RF specifications when the device used at 5 mm from your body, and the holder must not be of metal composition.

8. To prevent possible hearing damage, do not listen at high volume levels for long periods.

9. Earphones and USB cable are shielded.



Figure 1-Warning label (IEC 60417-6044)



27403012

TECNO

Android is a trademark of Google LLC.

规格：70*125mm

P数：14P

材质：105g哑粉

印刷：80%单黑

工艺：折页